

like copis

| Xe.                           | Olf .          |            |            |
|-------------------------------|----------------|------------|------------|
| Form PTO-1449 (adapted)       | Docket No.     | Serial No. |            |
| ( Offin 1 to ( Sample )       | ·              | 808-2      | 08/946,136 |
|                               | Applicant      |            |            |
| REFERENCES CITED BY APPLICANT | Albrecht et al |            |            |
| HEI EINENGES STEEL STEEL      | Filing Date    | Group      |            |
|                               | 7 Octobor 10   | 97         | 1815       |

U.S. PATENT DOCUMENTS

|                       | 122ME                   |   | 0.3. FAT       | ENT DOCUMENTS  |   |
|-----------------------|-------------------------|---|----------------|--|---|
| Examiner's<br>Initial | DATE                    | Document<br>Number                      | Class/Subclass | Title  | Filing Date                               |
| Hillian               | P1                      | 4,293,652                               | 435/172        | Method of synthesizing DNA   | 25 May 1979                               |
| Jua 2/                | 10/81                   | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |                | sequentially COHEN   |   |
|                       | P2<br>4/92              | 5,102,785                               | 435/6          | Method of gene mapping  LIVAK GT Alex  | 25 April 1988                             |
|                       | P3 2/82                 | 4,321,365                               | 536/27         | Oligonucleotides useful as adaptors in DNA cloning, adapted DNA molecules, and methods of preparing adaptors and adapted molecules | 19 October 1977                           |
|                       | P4<br>6/92              | 5,118,605                               | 435/6          | Polynucleotide determination with selectable cleavage sites  | 29 Sept 1988                              |
|                       | P5 / <b>()</b> /() 8 P6 | 4,775,619                               | 435/6          | Polynucleotide determination with selectable cleavage sites  | 16 October 1984                           |
|                       | P6 3/95                 |   | 435/91         | Labeling by simultaneous ligation and restriction KEITH ET AL.   | 26 June 1988                              |
|                       | P7                      | 4,237,224                               | 435/68         | Process for producing biologically functional molecular chimeras   | - <del>12-2-80-</del><br>1 <b>- 4</b> -79 |
|                       | P8<br>7/87              | 4,683,202                               | 435/91         | Process for amplifying nucleic acid sequences  MULLIS  | 7-28-87                                   |
|                       | P9                      | 5,242,794                               | 435/6          | Detection of specific sequences in nucleic acids WHITELEY ETAL   |   |
|                       | P10                     | 5,126,239                               | 435/6          | Process for detecting polymorphisms on the basis of nucleotide differences   | 3-14-90                                   |
| A                     | P11                     | 5,508,169                               | 435/6          | Indexing Linkers  DEUGAG ET AL.  | 10-28-94                                  |
| Town                  | P12<br>4/96             | 5,503,980                               | 435/6          | Positional sequencing by hybridization   | 10-17-94                                  |

| EXAMINER Sur Z  | Date considered 10/1198   |
|---|---|
| *EXAMINER: Initial if reference considered, whether or not citation if not in conformance and/or not considered. Include of | ation in conformance with MPEP 609; Draw line through copy of this form with next communication to applicant. |

Form PTO-1449 (adapted)

REFERENCES CITED BY APPLICANT

U.S. PATENT DOCUMENTS (cont'd)

|                       |               |                    | U.S. PATENT    | DOCUMENTS (cont'd)  |             |
|-----------------------|---------------|--------------------|----------------|---|-------------|
| Examiner's<br>Initial | DATE          | Document<br>Number | Class/Subclass | Title   | Filing Date |
| July                  | P13           | 5,658,736          | 435/6          | Oligonucleotide population preparation  | 1-16-96     |
|                       | P14           | 5,707,807          | 435/6          | Molecular indexing for expressed gene analysis  | 1-13-98     |
|                       | P15           | 5,512,439          | 435/6          | Oligonucleotide-linked magnetic particles and uses thereof                                  | 8-30-96     |
|                       | 9/92          | 5,149,625          | 435/6          | Multiplex analysis of DNA CHURCH ET AL.   | 9-22-92     |
|                       | P17           | 4,942,124          | 435/6          | Multiplex sequencing CHURCH   | 7-17-90     |
|                       | P18           | 5,728,524          | 435/6          | Process for categorizing nucleotide sequence populations SIBJON                             | 2-16-95     |
|                       | P19           | 5,366,860          | 435/6          | Spectrally resolvable rhodamine dyes for nucleic acid sequence determination  BERGOT ET AL. | 9-29-89     |
|                       | P20<br>9/1995 | 5,552,278          | 435/6          | DNA sequencing by stepwise ligation and cleavage BRENHER                                    | 7-25-94     |
| Tros/                 | P21<br>2/98   | 5,714,330          | 435/6          | DNA sequencing by stepwise ligation and cleavage  | 6-21-96     |

## FOREIGN PATENT DOCUMENTS

| Examiner's<br>Initial |    | Country and<br>Document<br>Number                  | Inventor     | Title   | Publication<br>Date |
|-----------------------|----|--|--------------|---|---------------------|
| gnu Z                 | D1 | International<br>Application<br>PCT/US92<br>/01905 | Goelet et al | Nucleic acid typing by polymerase extension of oligonucleotides using terminator mixtures | 17 Sept. 1992       |
| :                     | _  | (Publ. No.<br>wo92/15712)                          |              |   |                     |

| EXAMINER | Ino W | Date considered 10/19/19 |
|----------|-------|--------------------------|
|          |       |                          |

\*EXAMINER: Initial if reference considered, whether or not citation in conformance with MPEP 609; Draw line through citation if not in conformance and/or not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 (adapted)

|         | Č     |
|---------|-------|
| (%)     | ate   |
| YEAR.   | TAR!  |
| 1.67.81 | TRADE |
| ~       | W     |

## REFERENCES CITED BY APPLICANT

## Applicant

Docket No.

Serial No.

808-2

Albrecht et al

Filing Date 7 October 1997 Group 1815

08/946,138

FOREIGN PATENT DOCUMENTS (cont'd)

| Examiner's<br>Initial |        | Country and<br>Document<br>Number  | Inventor                      | Title  | Publication<br>Date |
|-----------------------|--------|--|-------------------------------|--|---------------------|
| Spra 3                | D2     | European<br>patent appl.<br>90107066.4<br>(Publ. No.<br>0 392 546<br>A2) | Drmanac<br>and<br>Crkvenjakov | Process for determination of a complete or a partial contents of very short sequences in the samples of nucleic acids connected to the discrete particles of microscopic size by hybridization with oligonucleotide probes | 17 October 1990     |
|                       | D3     | France<br>2 687 851  | Gruters et al                 | Systame et procede de detection d'une sequenca d'acide nucleique selon une methode d'amplification par restriction enzymatique sur phase solide  | 5-13-94             |
|                       | D4     | European<br>patent appl.<br>87304433.3<br>Publ. No.                      | Carr                          | Hybridization probes   | 11-25-87            |
|                       | D5     | O 246 864 B1  European patent appl. 97302313.8  Publ. No.                | Schoemaker                    | Methods and compositions for selecting tag nucleic acids and probe arrays  | 10-8-97             |
|                       | D6     | 0 799 897 A1<br>PCT/GB95<br>/00109<br>W095/20053                         | Sibson                        | Sequencing of Nucleic Acids  | 7-27-95             |
|                       | D7<br> | PCT/GB93<br>/01452<br>W094/01582   | Sibson                        | Process for categorising nucleotide sequence populations   | 1-20-94             |
|                       | D8     | PCT/US95<br>/12791<br>W096/12014   | Brenner                       | Molecular Tagging System   | 4-25-96             |
| Juga 2/               | D9     | Eur. Pat. Appl.<br>88307391.8  | Church                        | Multiplex Sequencing   | 2-15-89             |

| EXAMINER | June W | Date considered                                  |
|----------|--------|--|
|          |        | in the increase with MPEP 600: Draw line through |

\*EXAMINER: Initial if reference considered, whether or not citation in conformance with MPEP 609; Draw line through citation if not in conformance and/or not considered. Include copy of this form with next communication to applicant.

|   | TPE          |                            | 100   |            |            |
|---|--------------|----------------------------|-------|------------|------------|
|   | JUN 2 6 1998 |                            |       |            |            |
| Form PTO-1449 (adapted)                       | 19.          | Docket No.                 | 808-2 | Serial No. | 08/946,138 |
| REFERENCES CITED BY A                         | APPLICANT    | Applicant Albrecht et      | al    |            |            |
| ,, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u> |              | Filing Date<br>7 October 1 | 1997  | Group      | 1815       |

## **OTHER REFERENCES**

| Examiner's<br>Initial |     | Citation   |
|-----------------------|-----|--|
| Juga 21               | D10 | Brenner and Livak, "DNA fingerprinting by sampled sequencing," Proc. Natl. Acad. Sci., 86: 8902-8906 (1989)  |
| 1                     | D11 | Carrano et al, "A high-resolution, fluorescence-based, semiautomated method for DNA fingerprinting," Genomics, 4: 129-136 (1989)   |
|                       | D12 | Szybalski et al, "Class-IIS restriction enzymesa review," Gene, 100: 13-26 (1991)  |
|                       | D13 | Kim et al, "Cleaving DNA at any predetermined site with adapter-primers and Class-IIS restriction enzymes," Science, 240:504-506 (1988)  |
|                       | D14 | Szybalski, "Universal restriction endonucleases: designing novel cleavage specificities by combining adapter oligonucleotide and enzyme moieties," Gene, 40: 169-173 (1985)          |
|                       | D15 | Barany, "The ligase chain reaction in a PCR world," PCR Methods and Applications, 1: 5-16 (1991)   |
|                       | D16 | Wu and Wallace, "The ligase amplification reaction (LAR)amplification of specific DNA sequences using sequential rounds of template-dependent ligation," Genomics, 4: 560-569 (1989) |
|                       | D17 | McGuigan et al, "DNA fingerprinting by sampled sequencing," Methods in Enzymology, 218: 241-258 (1993)   |
|                       | D18 | Shoemaker et al, "Quantitative phenotypic analysis of yeast deletion mutants using a highly parallel molecular bar-coding strategy," Nature Genetics, 14: 450-456 (1996)             |
|                       | D19 | Kato, "Description of the entire mRNA population by a 3' end cDNA fragment generated by class IIs restriction enzymes," Nucleic Acids Research, 23: 3685-3690 (1995)                 |
| 1                     | D20 | Kato, "RNA fingerprinting by molecular indexing," Nucleic Acids Research, 24: 394-395 (1996)   |
| 940 Z/                | D21 | Broude et al, "Enhanced DNA sequencing by hybridization," Proc. Natl. Acad. Sci., 91: 3072-3076 (1994)   |

| EXAMINER   | Jun 2                                    | Date considered  |          |
|------------|--|--|----------|
| *EXAMINER: | Initial if reference considered, whether | or not citation in conformance with MPEP 609; Draw line through Include copy of this form with next communication to applicant | gh<br>t. |

| ,                     | PEG             |
|-----------------------|-----------------|
|                       | JUN 2 6 1998    |
| Form PTO-1449 (adapte | d)\             |
|                       | VAN & TRADEBART |
| REFERENCES CITED      | BY APPLICANT    |

| Docket No.                 | Serial No. 08/946,138 |
|----------------------------|-----------------------|
| Applicant Albrecht et al   |                       |
| Filing Date 7 October 1997 | Group<br>1815         |

OTHER REFERENCES (CON'T)

|     |      | Official ficial control  |
|-----|------|--|
| my  | D22  | Hultman et al, "Direct solid phase sequencing of genomic and plasmid DNA using magnetic beads as solid support," Nucleic Acids Research, 17: 4937-4946 (1989)  |
| 1   | D23  | Nikiforov et al, "Genetic bit analysis: a solid phase method for typing single nucleotide polymorphisms," Nucleic Acids Research, 22: 4167-4175 (1994)   |
|     | D24  | Berger, "Expanding the potential of restriction endonucleases: use of hapaxoterministic enzymes," Anal. Biochem., 222: 1-8 (1994)  |
|     | D25  | Unrau et al, "Non-cloning amplification of specific DNA fragments from whole genomic DNA digests using DNA 'indexers,'" Gene, 145: 163-169 (1994)  |
|     | D26  | Gronostajski, "Site-specific DNA binding of nuclear factor I: effect of the spacer region," Nucleic Acids Research, 15: 5545-5559 (1987)   |
|     | D27  | Wiaderkiewicz et al, "Mismatch and blunt to protruding end joining by DNA ligases," Nucleic Acids Research, 15: 7831-7848 (1987)   |
|     | D28  | Tsiapalis et al, "On the fidelity of phage T4-induced polynucleotide ligase in the joining of chemically synthesized deoxyribooligonucleotides," Biochem. Biophys. Res. Comm., 39:631-636 (1970)                     |
|     | D29  | Matteucci et al, "Targeted random mutagenesis: the use of ambiguously synthesized oligonucleotides to mutagenize sequences immediately 5' of an ATG initiation codon,"  Nucleic Acids Research, 11: 3113-3121 (1983) |
| Jar | /D30 | Hensel et al, "Simultaneous identification of bacterial virulence genes by negative selection," Science, 269: 400-403 (1995)   |

| EXAMINER  | mu 2 | Date considered |  |
|---|------|-----------------|--|
| *EXAMINER: Initial if reference considered, whether or not citation in conformance with MPEP 609; Draw line through citation if not in conformance and/or not considered. Include copy of this form with next communication to applicant. |      |                 |  |